


Roofing No. 3006

Subject: Low Temperature R-Values

Date: January 2008 (Revised January 2019)

The following chart has been assembled to aid in the design of Foam-Control insulation applications in low temperature conditions.

	Temperature			
	40°F (4.4°C)	25°F (-3.9°C)	0°F (-17.8°C)	-25°F (-31.7°C)
100	4.2	4.4	4.5	4.7
130	4.4	4.6	4.7	4.8
150	4.6	4.7	4.8	5.0
250	4.8	5.0	5.1	5.3



Foam-Control products are manufactured by AFM Corporation licensees.

Copyright © 2019 AFM Corporation. All rights reserved. Printed in USA. Foam-Control and the Foam-Control logo are registered trademarks of AFM Corporation, Lakeville, MN.